


intellitiles  
**rhythm** 



intelligent technology  
combined with smart benefits

**innovation & inspiration**

|  **Signature**<sup>®</sup>  
carpettileconcepts


for total flexibility & cost efficiency



cadence 100



pulse 200



symmetry 300



beat 400



flow 500



frequency 600



tempo 700

**product construction**  
**yarn/fibre**  
**pile weight**  
**pile height**  
**gauge**  
**tile size**  
**total thickness**

**carton size**  
**total weight**

**dimensional stability**  
**backing**

intelli tiles, rhythm  
multi-level loop  
solution dyed nylon  
580g/m<sup>2</sup>  
3.5mm  
1/12  
500mm x 500mm  
6.5mm (Thermo Bak™)  
9.0mm (Comfi Bak®)  
5m<sup>2</sup>  
4.5kg/m<sup>2</sup> (Thermo Bak™)  
4.2kg/m<sup>2</sup> (Comfi Bak®)  
<0.15%  
Thermo Bak™, Comfi Bak®

**electrostatic propensity**  
**fire rating ISO 9239.1**  
**recommended adhesive**  
**installation method**

**co-ordinates with**  
**availability**

<3.0kv  
>4.5 kw/m<sup>2</sup> critical radiant flux  
RLA Polymers  
quarter turn, ashlar, brick

all intelli and friendly tiles  
in stock



**Declare.**

*Signature*<sup>®</sup>  
floorconcepts

au 03 9401 0888  
nz 0800 150 555  
[signaturefloors.com.au](http://signaturefloors.com.au)  
[signaturefloors.co.nz](http://signaturefloors.co.nz)



