




Itec™ Project Floors offer multiple industries solutions for the most demanding conditions.

innovation & inspiration



Itec™ Project Floors: Concept



Total Thickness 2.00mm
 Wear Layer 0.70mm
 Wear Layer Treatment HyperGuard+™
 Surface Treatment Sanitec™
 Width 2m & 4m
 Standard Roll Length 25 l/m
 Acoustic Insulation Lw 7 dB
 Fire Rating 7.5kW/m² CRF
 Scratch Resistance Class T
 Slip Resistance: Oil-Wet Ramp R10

Electrostatic Performance <2.0kV
 Underfloor Heating Suitable
 Cold Welding Suitable
 Hot Welding Suitable
Warranty 20 Yr Residential
 15 Yr Commercial
Sustainability Availability 100% Recyclable
 In Stock





Signature[®]
floorconcepts

tel 613 9401 0888
fax 613 9401 0866
signaturefloors.com.au

contact your sales consultant for specifications

terms & conditions: Specifications are subject to manufacturing tolerances and may be changed without prior notice. Dye lots may vary in colour from sample and between production lots. All product purchases are subject to Signature Floorcoverings Standard Terms & Conditions of Sale. Please refer to our Installation Guideline, Maintenance Manual and Warranty Document for further clarification.

As per Competition & Consumer Act (CCA): "Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure." Please refer to our warranties on: www.signaturefloors.com.au 10/2017 ©