

STATIC




STATIC DYNAMO 191-185CB, REVERB 097-099CB


au 1800 150 554
nz 0800 150 555
signaturefloors.com.au
signaturefloors.co.nz

Signature


STATIC




RESOLUTION
082-042CB



HERTZ
175-181CB



EMBER
054-191CB




FLUX
172-111CB




MATRIX
085-136CB




DYNAMO
191-185CB




CIPHER
002-124CB




GLITCH
048-114CB




ENCODE
114-095CB



GENESIS
143-010CB



SHUTTER
046-072CB




SHAKE
021-031CB



BYTE
012-071CB



CAPTURE
067-012CB




DATA
019-040CB




PULSE
113-134CB




COMPUTE
017-099CB




INGOT
017-000CB



WAVEFORM
197-999CB



ZEPHYR
202-999CB



SURGE
999-098CB



RIPPLE
100-098CB



FRAGMENT
098-000CB



NUMERICAL
014-017CB



VORTEX
196-007CB



INFINITY
099-007CB



REVERB
097-099CB



PARTICLE
010-007CB



VOLTAGE
075-007CB



BALANCE
099-075CB



APEX
999-003CB



RELAY
007-999CB



SPECTRUM
197-003CB

STATIC



STATIC VORTEX 196-007CB, GENESIS 143-010CB, GLITCH 048-114CB


SPECIFICATIONS

Product	Static
Product Category	Carpet Tile
Construction	Multi-level Loop
Yarn/Fibre	Solution Dyed Nylon
Pile Weight	646g/m ² (19oz)
Pile Height	4mm
Gauge	1/10
Tile Size	500 x 500mm
Total Thickness	9.5mm
Total Weight	4.2kg/m ²
Carton Size	5m ²

CUSTOM OPTIONS

Comfi Bak[®]	In stock
Flexi Bak[®]	50m ² minimum
Thermo Bak[®]	50m ² minimum
Shapes by Signature[®]	50m ² minimum

INSTALLATION METHODS



ASHLAR QUARTER TURN BRICK DIRECTIONAL RANDOM

PERFORMANCE

Dimensional Stability	<0.15%
Backing	Comfi Bak [®]
Electrostatic Propensity	<3.0kv
Recommended Adhesive	RLA Polymers GS300
ACCS Rating	Commercial Extra Heavy Duty
Warranty	15 Year
Fire Rating ISO 9239.1	4.8kw/m ² Critical Radiant Flux Suitable all areas
Stain/Soil	Ultra Gard

SUSTAINABILITY

GreenTag[®] GreenRate Level A
EPDs And Declare Labels
WELL & LBC Eligible

TECHNICAL DOCUMENTS

[Technical Information Guide](#)
[Care and Maintenance Guide](#)
[Warranty Guide](#)

Our manufacturing process ensures no two tiles are the same. Please note that there may be batch variations from different dye lots.

