


# PRISM **PLANKS**



the marvel of light transforming into a vibrant wonder

**ECONYL®**  
REGENERATED NYLON

**circul8**  
LOCAL RECYCLING INITIATIVE



**Declare.**

innovation & inspiration

| *Signature*®  
floorconcepts

# FACET




**FACET** Ray 7-000-000PL



**FACET** White Light 6-000-000PL




**FACET** Wavelength 5-000-000PL



**FACET** Porro 4-000-000PL



**FACET** Amici 3-000-000PL



**FACET** Disperse 8-000-000PL




**FACET** Penta 2-000-000PL



**FACET** Abbe 1-000-000PL


# REFRACT




**REFRACT** Penta Coral 2-167-000PL



**REFRACT** Penta Crème 2-188-000PL



**REFRACT** Penta Pistachio 2-002-000PL



**REFRACT** Penta Swamped 2-114-000PL



**REFRACT** Penta Lake 2-121-000PL




**REFRACT** Penta Arctic 2-131-000PL




**REFRACT** Penta Sangria 2-169-000PL



**REFRACT** Penta Bronze 2-189-000PL



**REFRACT** Penta Green 2-045-000PL



**REFRACT** Penta Spruce 2-094-000PL



**REFRACT** Penta Whale 2-071-000PL




**REFRACT** Penta Nautical 2-108-000PL


# REFLECT



**REFLECT** Penta Coral Sangria 2-167-169PL



**REFLECT** Penta Crème Bronze 2-188-189PL



**REFLECT** Penta Pistachio Green 2-002-045PL



**REFLECT** Penta Swamped Spruce 2-114-094PL



**REFLECT** Penta Lake Whale 2-121-071PL



**REFLECT** Penta Arctic Nautical 2-131-108PL

Our manufacturing process ensures no two planks are the same. Please note that there may be batch variations from different dye lots.

# PRISM PLANKS

- Product**
- Construction**
- Yarn/Fibre**
- Pile Weight**
- Pile Height**
- Gauge**
- Tile Size**
- Total Thickness**
- Carton Size**
- Total Weight**
- Dimensional Stability**
- Backing**
- Electrostatic Propensity**
- Fire Rating ISO 9239.1**
- Recommended Adhesive**
- Installation Method**
- Availability**
- Comfi Bak® Option**
- Shapes® Option**
- Vivid Custom**
- ACCS Rating**
- Warranty**
- Fire**
- Stain/Soil**
- Sustainability**

## FACET


Facet  
Multi-level Loop  
Econyl™ Recycled Nylon  
680g/m<sup>2</sup> (20oz)  
4mm±0.5mm  
1/10”  
250mm x 1000mm  
7mm±0.5mm  
4m<sup>2</sup>  
5kg/m<sup>2</sup>  
<0.15%  
Thermo Bak™  
<3.0kv  
>4.7 kw/m<sup>2</sup> Critical Radiant Flux  
RLA Polymers GS300  
Ashlar, Herringbone, Basketweave  
In Stock  
100m<sup>2</sup> Minimum  
100m<sup>2</sup> Minimum  
N / A  
Commercial Extra Heavy Duty  
15 Year  
Suitable All Areas  
Ultra Gard  
GreenTag® GreenRate Level A Certified  
EPDs & Declare Labels  
WELL & LBC Eligible

## REFRACT

Refract  
Multi-level Loop  
Econyl™ Recycled Nylon  
714g/m<sup>2</sup> (21oz)  
4mm±0.5mm  
1/10”  
250mm x 1000mm  
7mm±0.5mm  
4m<sup>2</sup>  
5kg/m<sup>2</sup>  
<0.15%  
Thermo Bak™  
<3.0kv  
>5.4 kw/m<sup>2</sup> Critical Radiant Flux  
RLA Polymers GS300  
Ashlar, Herringbone, Basketweave  
In Stock  
100m<sup>2</sup> Minimum  
100m<sup>2</sup> Minimum  
100m<sup>2</sup> Minimum  
Commercial Extra Heavy Duty  
15 Year  
Suitable All Areas  
Ultra Gard  
GreenTag® GreenRate Level A Certified  
EPDs & Declare Labels  
WELL & LBC Eligible

## REFLECT

Reflect  
Multi-level Loop  
Econyl™ Recycled Nylon  
748g/m<sup>2</sup> (22oz)  
4mm±0.5mm  
1/10”  
250mm x 1000mm  
7mm±0.5mm  
4m<sup>2</sup>  
5kg/m<sup>2</sup>  
<0.15%  
Thermo Bak™  
<3.0kv  
>4.8 kw/m<sup>2</sup> Critical Radiant Flux  
RLA Polymers GS300  
Ashlar, Herringbone, Basketweave  
In Stock  
100m<sup>2</sup> Minimum  
100m<sup>2</sup> Minimum  
100m<sup>2</sup> Minimum  
Commercial Extra Heavy Duty  
15 Year  
Suitable All Areas  
Ultra Gard  
GreenTag® GreenRate Level A Certified  
EPDs & Declare Labels  
WELL & LBC Eligible



*Signature*<sup>®</sup>  
floorconcepts

AU 1800.150.554  
NZ 0800 150 555  
[signaturefloors.com.au](http://signaturefloors.com.au)  
[signaturefloors.co.nz](http://signaturefloors.co.nz)

Terms & Conditions: Specifications are subject to manufacturing tolerances and may be changed without prior notice. Product may vary in colour from sample and between production lots. All product purchases are subject to Signature Floorcoverings Standard Terms & Conditions of Sale. Please refer to our Technical Information Manual, Maintenance Guide & Warranty Guide for further clarification. 11/2022©