





Add a STRIKE of colour

Adapted from its base, a subtle strike of colour is infused into the base colours of Nickel and Graphite to create two unique colour stories.










Let's meet

Find your way and coordinate with matching colours from Vivid 202 to define and connect your spaces – set your boundaries!









Take it to the next level

Elevate your layout and find the perfect colour match in the Signature paint box – the quintessential companion.

Need to change the highlight colour? Spin the Vivid 202 colour wheel and land on another colour for a custom option.









Contrasting Combination

Make it striking – mix and match for continuity and maximum impact.





One collection. Two perspectives.

Strikeout is bold simplicity.

Anchored in texture and tone, use on its own or combine with Strike for an injection of colour and create cohesive connections between spaces.

A collection reimagined. Flip direction, and change the perspective.



Minimalism Refined

A deconstructed geometric in a palette grounded by subtle shade duality.










Quietly Enhancing

Stocked in Comfi Bak® for improved acoustics, insulation and comfort underfoot.

- Made from 100% recycled PET.
- Each m² contains 48 recycled PET bottles.
- Reduces 30% of airborne sound and 32dB of impact sound.














Inviting Interiors

Warmer tones with textured grained blends are inherently beautiful and calming.









Aesthetic Appeal

Luxurious and strong.
Combine with a terrazzo
luxury vinyl plank in
sultry chocolate tones
for absolute strength and
sophistication.






STRIKE II NICKEL PHOSPHORUS 2-600-189CB




STRIKE II NICKEL SELENIUM 2-600-169CB



STRIKE II NICKEL KRYPTON 2-600-045CB



STRIKEOUT II NICKEL 2-600CB



STRIKEOUT II SODIUM 2-700CB




STRIKEOUT II TUNGSTEN 2-800CB




STRIKEOUT II CLAY 2-200CB



2-600-132CB





STRIKE II NICKEL XENON


STRIKE II GRAPHITE SULPHUR 2-300-124CB




STRIKEOUT II GRAPHITE 2-300CB



STRIKEOUT II GALLIUM 2-100CB




STRIKEOUT II RHODIUM 2-500CB



STRIKE II GRAPHITE OXYGEN

STRIKE II GRAPHITE ARGON 2-300-107CB



STRIKE II GRAPHITE NITROGEN

2-300-021CB

STRIKE II GRAPHITE HYDROGEN 2-300-137CB



STRIKE II GRAPHITE IODINE 2-300-054CB



STRIKEOUT II CHARCOAL 2-400CB



STRIKEOUT II SILICA 2-900CB

Construction Yarn/Fibre Pile Weight Pile Height Gauge Tile Size **Total Thickness Carton Size Total Weight Dimensional Stability** Backing **Electrostatic Propensity** Fire Rating ISO 9239.1 Recommended Adhesive Installation Method Availability Thermo Bak™ Option **Shapes Option** Vivid 202 Custom **ACCS Rating** Warranty Fire

Textured Loop & Tip Shear Solution Dyed Nylon 612g/m² (18oz) 4mm 1/12 500mm x 500mm 10mm 5m²4.4kg/m² < 0.15% Comfi Bak® <3.0kv >5.2 kw/m² Critical Radiant Flux RLA Polymers GS300 Quarter Turn, Ashlar, Directional, Brick In Stock 50m² Minimum 50m² Minimum 50m² Minimum Commercial Extra Heavy Duty 15 Years Suitable All Areas Ultra Gard

GreenTag® GreenRate Level A

EPDs and Declare Labels

WELL & LBC Eligible



Go bespoke with 10 Shapes by Signature® and design your way for a minimum order quantity of 50m²



24.17 x 35.38 25 x 43.3

Stain/Soil

Sustainability









Trapezoid

21.65 x 50







 50×50



50 x 43.3




50 x 50







25 x 50 25 x 100



Large Square 100 x 100



Wide Plank 50 x 100

MAKING AN IMPACT WHILE REDUCING OUR IMPACT

REINSTATE, REJUVENATE, REGENERATE.



Signature Floors' local carpet tile recycling initiative here in Australia reaffirms our ongoing commitment to closing the loop and creating a circular economy. Your Signature carpet tiles are designed with longevity and performance in mind. However, when it comes time to say goodbye to your flooring, carpet tiles can be returned as part of our product stewardship. Returned tiles are first assessed and ultimately reused or recycled through a process of rejuvenation and yarn regeneration.













au 1800 150 554 nz 0800 150 555 signaturefloors.com.au signaturefloors.co.nz



Terms & conditions: Specifications are subject to manufacturing tolerances and may be changed without prior notice. Product may vary in colour from sample and between production lots. All product purchases are subject to Signature Floorcoverings Standard Terms & Conditions of Sale. Please refer to our Technical Information Manual, Maintenance Guide & Warranty Guide for further clarification. © Signature Floors 05/2023

Thermo Bak™ is recommended for Shapes by Signature®

