OAKWOOD



au 1800 150 554 **nz** 0800 150 555 signaturefloors.com.au signaturefloors.co.nz

OAKWOOD





OAKWOOD



SPECIFICATIONS	
Product	Oakwood
Product Category	Engineered Timber
Species	European Oak
Top Layer	Hardwood 4mm Oak
Core	6 ply Eucalyptus
Stabilising Layer	Poplar
Coating	UV Lacquer – 8 Layer Teknos Finish
Joint System	Tongue and Groove
Profile	Micro Bevel Edge
Plank Size	220 x 2200mm
Total Thickness	15/4mm
Carton Size	1.936m ² – 25% nested lengths*

PERFORMANCE	
Grade	ABCD
Recommended Adhesive	Bostik ULTRASET 2 in 1 [†]
Warranty - Commercial	5 Year#
Warranty - Residential	25 Year
Slip Classification	P3
Mean CHF Value	3.3kw/m ²

INSTALLATION METHODS



SUSTAINABILITY

FSC Certified - Available upon request

Manufactured in compliance with ISO 9001

TECHNICAL DOCUMENTS

Care and Maintenance Guide Warranty Guide

 $^{^{\}star}$ Packs may contain split lengths, with a combination of shorter boards.

[†] Please refer to Installation Guidelines. # Based on light commercial conditions, contact your area sales manager for warranty details specific to your project.