




Like the framework for music, Score is the blueprint that brings together quality craftsmanship of Axminster carpet in a cohesive and harmonious colour palette consisting of rich and solid tones for impactful design.



With a New Zealand wool blend construction, Score offers stain-resistance, fire-resistance and wear-resistance while maintaining its visual integrity making this an optimal flooring solution for hospitality spaces where long-term appearance retention is essential.



Define zones, and create a sense of luxury that's both welcoming and hard-wearing for high-traffic environments like foyers, corridors and common areas.









SCORE / ELEGY / 71

Create productive and collaborative office environments with the durability and practicality of axminster carpet. Assisting with noise reduction in a busy working space, Score delivers comfort and performance with every step.




SCORE / MINUET / 15

Like a well composed musical score, thoughtful design brings structure, mood and meaning.





A considered choice for hotel rooms,
Score offers functional performance
while enhancing the guest experience.
Providing acoustic and thermal
benefits—absorbing sound and adding
softness underfoot—while contributing
to a calm and restful atmosphere.





SCORE / BERCEUSE / 66

More than just a finishing touch, a custom sized rug anchors your space, and ties together your design story.



SPECIFICATIONS

PRODUCT SCORE
PRODUCT CATEGORY WOVEN CARPET

CONSTRUCTION Axminster

YARN / FIBRE 40% NZ Wool / 40% British Wool / 20% Nylon

PILE WEIGHT 4loz
PILE HEIGHT 8mm
PITCH / BEAT UP 7x8
BACKING Polypropylene

TOTAL THICKNESS 10.70mm
CARPET WIDTH 366cm

PERFORMANCE

TRAFFIC Commercial Heavy Duty

WARRANTY 5 Year

FIRE RATING ISO 9239.1 >4.5kw/m² Critical Radiant Flux

ELECTROSTATIC PROPENSITY <2.2kw

CUSTOM OPTIONS

 PILE WEIGHT 46oz (7x9)
 MOQ 200m²

 PILE WEIGHT 5loz (7x10)
 MOQ 200m²

 COLOUR
 MOQ 200m²

INSTALLATION METHODS

Dual Bond Conventional Lay

ComfiLay underlay recommended

SUSTAINABILITY

CERTIFICATIONS GREEN LABEL PLUS

VIEW TECHNICAL
INFORMATION AND ORDER
SAMPLES QUICKLY THROUGH
OUR SAMPLE SERVICE








All edges to be cut & seam sealed prior to installation.

Cut pile carpets, particularly 'plush pile' will in some circumstances exhibit the condition known as 'shading, watermarking or pile reversal'. A cut pile carpet that has 'shaded' will show areas lighter or darker than the surrounding carpet pile. The variation is caused by the reflection of light from pile tufts which come to lay in different directions. It does not affect the wear or durability of the carpet and since it is beyond the control of the manufacturer, it is not recognised as a manufacturing flaw or fault.

SCOTE





signaturefloors.com.au signaturefloors.co.nz ABOVE: **SCORE** / OVERTURE / 44 COVER: **SCORE** / CODA / 25

Terms & Conditions: Specifications are subject to manufacturing tolerances and may be changed without prior notice. Dye lots may vary in colour from sample and between production lots. All product purchases are subject to Signature Floorcoverings Standard Terms & Conditions of Sale. This product is to be installed by an experienced installer. Please refer to our Technical Information Manual, Maintenance Guide and Warranty Guide for further clarification.

Disclaimer: This brochure is presented for informational purposes only. Every effort is made to ensure that product images are of an accurate representation of the product. However, they are for illustrative purposes only and colour variations may occur in actual product and between dye series. Please consult your commercial sales consultant for further information.