












		LOOSELAY	TRADITIONAL
KEY FEATURES	SUNLITE	LVT	LAMINATE
Sun-proof (withstands direct sunlight)	<b>~</b>	<b>/</b> *	×
Will not warp or deform >80 degrees	~	×	V
Water-proof (can be installed in bathrooms)	<b>~</b>	×	×
Suitable in rooms with floor to ceiling windows	<b>V</b>	×	×
Suitable for bathrooms & laundries	~	×	×
Resistant to indentation	<b>V</b>	~	V
Sound absorbent - BCA Acoustic Compliant	<b>~</b>	×	×
Built in underlay	~	×	×
Core is free of harmful content and plasticizers	~	×	~
Suitable to be laid over tiles	V	×	V
No acclimatisation necessary	~	×	×
No telegraphing $^{^{\triangle}}$ (show through)	V	×	V
Installs in areas >400m² without transition gaps	<b>~</b>	×	×
Lays directly over chipboard	V	×	×
Fast & easy TIGHT LOCK install ('floating floor')	<b>V</b>	×	<b>✓</b>

<sup>\*</sup> installed with permanent adhesive

## SUNPLANK™ PERFORMS BRILLIANTLY UNDER EXTREME HEAT

50° CELSIUS HEAT

SUNPLANK™ SOLID-CORE PLANKS



TRADITIONAL LVT





# SUN



#### THE SUNNYVALE COLLECTION

**Sunlite**<sup>™</sup> solid-core sunplanks offer excellent performance for residential installations. At 4mm thick, **Sunlite**<sup>™</sup> is a more affordable option in the **Sunplank**<sup>™</sup> range of solid-core, water, sun and fade proof flooring planks.

For the perfect finish to your **Sunplank™** floor, each timber plank has its own matching scotia. Ask your Sales Consultant for more information.















Jarred Oak SUN1858**SP** 

Blossom Oak SUN1860SP S

Zinnia Oak SUN1861**SP** 

Rosalind Oak SUN1865**SP** 

Lilydale Oak SUN1866**SP** 

Jessamine Oak SUN1862**SP** 




Sunlite™

Plank size: 176 x 1213mm

Thickness: 4mm

Wear Layer: 0.30mm



## Multi-Layer Quartz Enhanced PUR Coating

exceptional resistance to heavy foot traffic, indents, scratches & scuffs

# Deep Structured Decorative Layer

the true to life look & feel of premium oak timber

#### **New Extra Dense Rigid Solid-Core**

free of harmful content, waterproof, extra stable & extra sound absorbent, up to 80% natural limestone

#### **Built In Underlay**

for added acoustic performance



# SUITS EVERY ROOM IN THE HOUSE

DINING ROOM

DINING ROOM

KITCHEN ROOM

BATH ROOM

BED ROOM

SUNPLANK™ IS AN
EXCEPTIONAL SOLID CORE
FLOORING PLANK THAT
PERFORMS UNDER ALL
CONDITIONS

SUPER COMFORTABLE
UNDERFOOT, SUNPLANK IS
IDEAL THROUGHOUT THE
HOUSE AND IS SUPER
EASY TO CLEAN

Terms & Conditions: Specifications are subject to manufacturing tolerances and may be changed without prior notice. Dye lots may vary in colour from sample and between production lots. All product purchases are subject to Signature Floorcoverings Standard Terms & Conditions of Sale. Please refer to our Installation Guideline, Maintenance Manual and Warranty Document for further clarification.

Australia: As per Competition & Consumer Act (CCA): "Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure."

New Zealand: The warranties listed in this document are in addition to any rights you have under the Consumer Guarantees Act 1993. Nothing contained in these warranties exclude, restrict, modify or affect the application of and condition, guarantee, right of remedy provided by New Zealand Consumer.



au 03 9401 0888 nz 0800 150 155 signaturefloors.com.au signaturefloors.co.nz