

maison 

  
oak DE  
FRANCE

LUXURY  
EUROPEAN STYLE  
OAK FLOOR  
COLLECTIONS




*Signature*<sup>®</sup>  
signaturetimber



PARIS OAK / BELLE 401

## DISCOVER CENTURIES OF FRENCH EXPERTISE AND STYLE

FRONT COVER: PARIS OAK / JOLIE 001



## ARTISAN OAK FLOORS FROM FRANCE



*"Nos compétences sont transmises de génération de génération, de père en fils, d'année en année."*

**Bonjour!**  
For centuries the French have been known for the craftsmanship and quality of their oak flooring.

Today, you can enjoy the same artisan skills and premium quality timber floors from the OAK DE FRANCE collection. From oak trees grown in certified, sustainable forests, these floors are manufactured in France using time-honoured processes combined with modern technology to offer the highest quality parquet flooring.



PARIS OAK / LAPIN 398

Signature's OAK DE FRANCE floors consist of multiple layers of engineered timbers finished with a solid top layer. This provides exceptional dimensional stability and performance. Explore the PARIS OAK range to find the perfect parquet floor for your home.

*Signature*<sup>®</sup>  
signaturetimber



**PARIS OAK captures the tradition of classic French architecture with the modern style of today.**

PARIS OAK planks are very impressive in any home. The beauty of PARIS OAK features a brushed matt finish and Ultimtec® lacquer protective varnish.

Using molecular nano-technology, Ultimtec® varnish provides exceptional wear protection and added scratch resistance. Voilà!



# PARIS Oak




Jolie 001



Belle 401



Bijoux 400



Blond 002




Bien 397



Marron 399



Grande 003



Lapin 398



**Plank**  
 Long: 1980mm  
 Wide: 187mm  
 Thick: 14mm  
 Top Layer: 3.30mm

**Features**  
 Brushed matt surface  
 Ultimtec® lacquer finish  
 Best Loc X-Treme®  
 V-groove 2 sided/long sides




PREMIUM  
 QUALITY  
 OAK FLOORS

PARIS OAK / JOLIE 001

**PARIS OAK features a Lifetime Warranty for the BestLoc X-Treme® plank locking system.**

This stronger and more durable system is also up to 4 times faster to install than 4-sided locking systems.



MAISON

# EUROPEAN STYLE TIMBER FLOORS

MAISON OAK features a matt lacquer surface treatment which resembles as close as possible, the look of an oiled oak floor. Lacquer forms a film on the surface sealing the wood pores and providing a protective layer. Six layers of Bona lacquer are applied and separately UV dried.



MODERNE OAK / ASH BLOND 013


## There is nothing quite so stylish as a natural oak floor.

Bringing European style oak into your home has never been easier with MAISON parquet timber floors. Multiple layers of engineered timbers are finished with a solid oak top layer.

Each range in the MAISON OAK collection features a unique character to suit every home decor. Incredibly stylish, excellent performance and brilliant value - beautiful oak for your very own home masterpiece.

MAISON OAK ranges:

MODERNE OAK - *contemporary*  
LIMOGES OAK - *distressed*  
ST GERMAIN OAK - *smoked*  
RUSTIQUE OAK - *rustic*



MODERNE OAK / ASH BLOND 013

Maison  
MODERNE OAK



MODERNE OAK / NUDE 284

Maison

MODERNE OAK FLOORS

## OAK FOR MODERN INTERIORS

**Australian homes are  
designed for easy living  
to suit our modern lifestyle.**

The demand for quality finishes has never been greater. MODERNE OAK is the ideal flooring choice to bring natural warmth and comfort into the rooms we live in. Soft underfoot, oak floors are also quieter than many flooring alternatives - and it definitely looks much better.


MODERNE OAK planks are lightly polished and the wood selected is less rustic with just some occasional knots and some colour variations.



Signature<sup>®</sup>  
signaturetimber




MODERNE OAK / SILVER GREY 268



Ash Blond 013



Nude 284



Caramel 004



Tan 002



Silver Grey 268



Maison  
MODERNE OAK

MODERNE OAK / TAN 002

# FLOORS TO ENJOY FOREVER

## MODERNE OAK FLOORS

MODERNE OAK is a stylish, more contemporary finish that sits perfectly at home in the city. It does not have the knot features of other collections, therefore creates a smooth, modern look that accentuates the beauty of the wood grain and more uniform result.

MODERNE OAK is available as a floating, click floor and can also be installed using the direct stick method, suitable for underfloor heating.



### Plank

Long: 1860mm  
Wide: 190mm  
Thick: 14mm  
Top Layer: 3.50mm

### Features

Lightly brushed surface  
Matt lacquer finish  
Drop Lock Click system  
V-groove 4 sided



warranty



4 sided




lacquer finish





ST GERMAIN OAK / WHITE SMOKE 262



ST GERMAIN OAK / BITTER CHOC 941

# Maison

## ST GERMAIN OAK FLOORS

### UNIQUE SMOKED OAK TIMBERS

ST GERMAIN OAK features a traditional smoked timber treatment to achieve an enhanced colour effect that permeates the entirety of the oak layer, unlike a surface treatment which affects only the top layer of the wood. The result is unique, bringing an aged look to a new timber floor.

Each oak plank is individually finished by an artisan craftsman who painstakingly fills knots and some cracks to achieve the signature weathered look, which simply can't be done by machine.






Maison  
ST GERMAIN OAK




ST GERMAIN OAK / LATTE 099



White Smoke 262



Latte 099 unsmoked



Affogato 264 smoked



Espresso 940 smoked



Bitter Choc 941 smoked



## ST GERMAIN OAK FLOORS

# STYLISH AGED OAK TIMBERS

### Plank

Long: 1860mm  
Wide: 190mm  
Thick: 15mm  
Top Layer: 3.50mm

### Features

Smoked aged process  
Brushed surface, pronounced knots & cracks  
Matt lacquer finish  
Tongue & groove locking system  
V-groove 2 sided/long sides



warranty



2 sided



lacquer finish



ST GERMAIN OAK is the perfect foundation to any room.

In today's modern interiors, the largest, most important feature is the floor. Using ST GERMAIN smoked oak planks, your room will lend itself to bold, contemporary furniture as easily as classic, traditional styles.

Inspired by the apartment buildings on the left bank, ST GERMAIN OAK brings the romance of Paris to your home. Select darker tones like Espresso or Bitter Choc for larger spaces and Latte or White Smoke for expansive open plan kitchen and living areas.






LIMOGES OAK / PRALINE 265



Brulee 266



Mousse 939



Praline 265



Chocolat 938



Baiser 099



LIMOGES OAK / BRULEE 266

# TIMBER WITH CHARACTER


## LIMOGES OAK FLOORS



LIMOGES OAK features a hand scraped and brushed finish to achieve an even more rustic look, using traditional methods and tools. The result is an aged, character-filled floor that radiates a sense of history.

Each distressed plank is finished with a light wood filler and a stain and scratch resistant matt lacquer, ensuring the floor's performance is significantly enhanced over traditional oiled timber. Each plank has 4 sided distressed v-groove, further enhancing the rustic look.

LIMOGES OAK is available as a floating, tongue and groove floor and can also be installed using the direct stick method, which is suitable for underfloor heating.



LIMOGES OAK / PRALINE 265

### Plank

Long: 1860mm  
Wide: 190mm  
Thick: 15mm  
Top Layer: 3.50mm

### Features

Brushed surface, pronounced knots & cracks with light wood filler  
Matt lacquer finish  
Tongue & groove locking system  
V-groove 4 sided distressed



warranty



4 sided distressed



lacquer finish






Maison

RUSTIQUE OAK FLOORS

# HISTORY IN EVERY OAK FLOOR

RUSTIQUE OAK features popular oak shades with a matt lacquer finish for a traditional, rustic effect.

Each plank has pronounced knots and cracks filled with wood filler and is lightly brushed using traditional methods and tools for an authentic, aged result. You can enjoy the same oak look on your floor that has been used throughout Europe for centuries.




Maison  
RUSTIQUE OAK

RUSTIQUE OAK / DAWN 906

Signature  
signaturetimber




RUSTIQUE OAK / SUEDE 957



Brick 958




RUSTIQUE OAK / SAFFRON 004



Dawn 906



Saffron 004




Shimmer 956



Toffee 008



Bark 110



Suede 957



**Plank**  
 Long: 1860mm  
 Wide: 190mm  
 Thick: 14mm  
 Top Layer: 3.00mm

**Features**  
 Lightly brushed surface,  
 pronounced knots & cracks  
 with wood filler  
 Matt lacquer finish  
 Drop Lock Click system  
 V-groove 4 sided




RUSTIQUE OAK FLOORS

REAL OAK PARQUET FLOORS

The lightly brushed surface of RUSTIQUE OAK planks ensures you will feel the natural wood texture underfoot.

As well as being much softer than hard ceramics and concrete, parquet is also warmer and quieter - ideal in the busiest family homes.

# WHAT IS OAK PARQUET?



## SCRAPED

Scraped timber is a more rustic look. The top wood layer is scraped using various wood working tools to create visible lines, for a raw, edgy look.

LIMOGES OAK



## ABOUT OAK

### HARDWOOD TIMBERS

Oak is a very dense, hard and strong wood which has been used for centuries by the Vikings, Europeans and Americans in building, furniture and wine making.

Oak is an ideal flooring timber and can still be seen in use throughout Europe in historical buildings built hundreds of years ago. You can be sure it will perform brilliantly in your home.

### BRUSHED

Using a brush, the natural grain structure is accentuated along the plank. Brushed timber creates a more natural look floor with added character and texture.

PARIS OAK, ST GERMAIN OAK, LIMOGES OAK



### LIGHTLY BRUSHED

A brush is used to add a soft texture to the timber surface for a lightly brushed result. Smooth oak floors have a more refined finish, suitable for modern interiors.


MODERNE OAK, RUSTIQUE OAK



### SMOKED OAK

Oak boards are 'smoked' using a special vapour that reacts to the tannins in the wood. The ageing process darkens wood and brings out the grain pattern.

ST GERMAIN OAK



## KNOTS & CRACKS

Rustic planks feature more knots, grains and cracks.

Craftsmen carefully select knots and cracks to expand and fill with matching or contrasting wood fillers for an aged-look. These natural features are to be enjoyed for the character and charm they bring to an oak floor.

ST GERMAIN OAK, RUSTIQUE OAK, LIMOGES OAK



Step 1



Step 2



Step 3

## PARQUET CONSTRUCTION

### MULTI-LAYERS

**Signature Timbers** feature the premium multi-layer construction method that fixes layers together to form an incredibly strong wood plank. This method is commonly referred to as *engineered timber*, which is a much preferred option to solid timber.

The top layer of hardwood timber is fixed to a solid core and base layer. Using the stability and durability of the core and base layer, an engineered floor is better protected against shrinkage and expansion from changes in climatic conditions.

Referred to as parquet in Europe, engineered timber has many advantages over expensive solid timber which requires significantly more care and maintenance.

### SOLID TIMBER

- high risk of expansion/contraction
- not suitable for underfloor heating
- expensive
- waste of resource



### PARQUET ENGINEERED TIMBER

- most dimensionally stable
- ideal for wide planks
- suitable for underfloor heating



### CORES

**High density fibreboard (HDF)** provides excellent dimensional stability and withstands the rapid change in temperature and humidity that exists across Europe and Australia.

OAK DE FRANCE timbers feature quality, high density cores created by the European manufacturers of the parquet timber, ensuring optimum quality control and performance.

**Hevea** is a naturally sourced and renewable wood derived from rubber trees. It is widely accepted as an excellent core material for engineered wood for its stability, mechanical strength and ability to withstand external pressures - such as temperature, moisture and air.

Hevea is used in MAISON OAK.

### V-GROOVE

With the capabilities of today's machining processes, precision shaping of oak planks has brought better aesthetics and more performance benefits.


Sometimes referred to as a bevel, Signature Timbers feature 4 sided V-grooves that highlight and define each plank, or 2 sided V-grooves on the long sides that give the appearance of long lines, visually opening up the room in the direction the floor is laid.



2 sided



4 sided





# STYLISH OAK FLOORS MADE IN FRANCE



PARIS OAK / JOLIE 001

## BENEFITS OF LACQUER



### PROTECTIVE LAYER

Timber floors treated with a lacquered finish are hard, durable and more able to resist scratching. The lacquer bonds to the top of the timber to form a hardened protective layer.



Lacquered floors are easier to clean and require less regular maintenance, however cannot be spot treated. If the floor requires a repair, all of it must be sanded prior to new lacquer being applied.

### ULTIMTEC® LACQUER

PARIS OAK collections feature Ultimtec® soft touch lacquer that echoes the feel of natural timber with the durability and strength of lacquer. With the molecular nanotechnology formula, wear and scratch resistance is dramatically improved.

### SUSTAINABILITY

Oak parquet planks use only a fraction of the valuable hardwood timber species compared to solid planks, making them a sustainable choice in flooring. All Signature Timbers have international certifications and initiatives that promote sustainable forestry management.



La marque de la gestion forestière responsable

PEFC - Program of Endorsement of Forest Certification  
 FSC - Forest Stewardship Council  
 FLEGT - Forest Law Enforcement, Governance & Trade



### BONA CURE LACQUER

European style oaks from the MAISON collection are honed using traditional methods, yet enjoy the new technology in invisible lacquer coatings that result in precious timber floors that can stand the test of busy families.

Bona cure lacquer is applied in 6 layers, using a roller diagonally to fill the wood pores.


UV is used to dry each layer resulting in a very durable, resistant protective surface.



All Signature Timbers feature a matt lacquer finish.

### AIR QUALITY

OAK DE FRANCE and MAISON OAK timbers comply with the strictest international standards for indoor air quality emissions. You can be assured of your family's health with OAK DE FRANCE A+ and MAISON OAK A ratings according to ISO 16000 international standards.



# INSTALL YOUR OAK FLOOR

## INSTALLATION OPTIONS

### FLOATING

A floating installation is easy and quick with the right preparation. A floating floor is not solidly connected to the sub-floor, and if planks are damaged, they can be replaced relatively easily.

All floating floors need to be installed on top of an underlay as per the installation guidelines. Underlay provides important acoustic insulation to the parquet floor.



### BEST LOC X-TREME®

The Best Loc X-Treme® locking system fixes the side and end of each plank, ensuring a tight, firm fit. This exclusive system features a lifetime performance guarantee.

PARIS OAK



### DROP LOCK CLICK

Drop Lock Click installation system fixes each plank firmly in place quickly and easily.

MODERNE OAK, RUSTIQUE OAK



### TONGUE & GROOVE

The tongue & groove installation system has been the traditional locking system for engineered timber and is also ideal for direct stick application.

ST GERMAIN OAK, LIMOGES OAK

### DIRECT STICK

Oak planks are glued directly to a prepared sub-floor using a quality, flexible timber adhesive.

A direct stick floor is permanently fixed to the sub-floor and produces less noise than a floating floor and has the feel and sound of a solid timber floor.

With any timber floor, (floating or direct stick), sub-floor preparation may be required on uneven slabs. It is important that a direct stick floor not be walked on until the adhesive has properly set, as this will result in the floor not properly bonding to the sub-floor.

A direct stick floor must be installed by an experienced, licenced timber installer with quality adhesive to ensure a successful installation to ensure your new floor warranty.

Suitable for underfloor heating and large areas.



### IMPORTANT

Signature Timber floors are made from natural wood and are best suited for installation in temperature controlled environments.

# CARE FOR YOUR FLOOR

## CARE & MAINTENANCE


### BASIC FLOOR CARE

- 1 Start a regular cleaning and maintenance program immediately after installation.
- 2 Sweep floor regularly with a soft broom or vacuum cleaner to remove dirt, dust and grit.
- 3 Wipe spills immediately with a dry clean cloth.
- 4 Always add recommended, specially designed cleaning aids to water to prevent the floor from becoming dull. *(refer to detailed cleaning & care instructions, see also [www.signaturefloors.com.au](http://www.signaturefloors.com.au))*
- 5 Never use all-purpose cleaning products or homemade cleaning solutions, especially those that contain vinegar and methylated spirits, as these can be extremely harmful to timber coatings.
- 6 Avoid sharp toys and objects on the floor.
- 7 Use felt protectors on furniture legs and avoid direct contact with castors.
- 8 Place a protective dish under flowerpots.
- 9 Use entrance mats and rugs to protect your floor.

### LACQUER FINISH

Avoid maintenance products that contain wax. These will form an unwanted film on the floor. To keep the shine of your floor, follow your regular treatment program. More tips, refer to the Signature Timber Care & Maintenance documents at: [www.signaturefloors.com.au](http://www.signaturefloors.com.au)

**NOTE** It is important to avoid exposure to standing water on your timber floor. Always wring out cleaning cloths or mops and **never use steam mops** which may harm the floor.



# oak DE FRANCE BY SIGNATURE®



French Manufactured Oak  
1980 x 187 x 14mm  
Brushed matt surface  
Ultimtec® lacquer finish  
Best Loc X-Treme® system



2 sided



Jolie 001 Belle 401 Blond 002



Bijoux 400 Bien 397



Marron 399 Grande 003



Lapin 398



Signature®  
signaturetimber



lacquer finish



for more  
PARIS OAK  
inspiration

# MAISON BY SIGNATURE®



European style smoked Oak  
1860 x 190 x 15mm  
Brushed surface  
Pronounced knots & cracks  
filled with matching wood filler  
Matt lacquer finish  
Tongue & groove system



2 sided



White Smoke 262 Latte 099 \*unsmoked



Affogato 264 Espresso 940 Bitter Choc 941



Modern European style Oak  
1860 x 190 x 14mm  
Lightly brushed surface  
Matt lacquer finish  
Drop Lock Click system



4 sided



Nude 284 Silver Grey 268



Ash Blond 013 Tan 002 Caramel 004



lacquer finish



FLEGT



RUSTIC  
CRACKS



for more  
MAISON OAK  
inspiration



maison BY SIGNATURE®




European style smoked Oak  
1860 x 190 x 15mm  
Brushed surface  
Pronounced knots & cracks  
filled with matching wood filler  
Matt lacquer finish  
Tongue & groove system




2 sided




White Smoke 262




Latte 099 \*unsmoked



Affogato 264



Espresso 940



Bitter Choc 941



Modern European style Oak  
1860 x 190 x 14mm  
Lightly brushed surface  
Matt lacquer finish  
Drop Lock Click system



4 sided



Nude 284




Silver Grey 268



Ash Blond 013



Tan 002



Caramel 004



lacquer finish



FLEGT




RUSTIC  
CRACKS



for more  
MAISON OAK  
inspiration

# OAK FLOORING ACCESSORIES



LuxeLay™  
suits all floating floor systems: PARIS OAK, ALL MAISON OAKS

## LUXELAY™ UNDERLAY

You can provide additional benefits for your home, using Signature's premium LuxeLay™ underlay with your timber floor.

LuxeLay™ provides acoustic benefits, making rooms much quieter, particularly in second storey homes. LuxeLay™ also acts as an insulation barrier, keeping spaces warmer in winter and cooler in summer and its backing acts as an impervious moisture barrier.

LuxeLay™ can be successfully used with underfloor heating. Consult your installer.





Stair Nosings  
available for PARIS OAK, ALL MAISON OAKS

## STAIR NOSINGS

Stair Nosings are specifically designed for optimum performance on stairs, ensuring stability and finish at the steptread edge.

Customised Stair Nosings are available for all Signature timbers on request and complete your new timber floor.





Signature Floorcoverings Pty Ltd  
AU 03 9401 0888 NZ 0800 150 555  
PO Box 1122, Epping 3076 Victoria Australia  
13 Wurundjeri Drive, Epping 3076 Victoria Australia  
[signaturefloors.com.au](http://signaturefloors.com.au)  
[signaturefloors.co.nz](http://signaturefloors.co.nz)



**Terms & conditions:** Specifications are subject to manufacturing tolerances and may be changed without prior notice. Timber may vary in colour from sample and between production lots. All product purchases are subject to Signature Floorcoverings Standard Terms & Conditions of Sale. Please refer to our Installation Guideline, Maintenance Manual and Warranty Document for further clarification.

**Australia:** As per Competition & Consumer Act (CCA): *"Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure."*

**New Zealand:** *The warranties listed in this document are in addition to any rights you have under the Consumer Guarantees Act 1993. Nothing contained in these warranties exclude, restrict, modify or affect the application of and condition, guarantee, right of remedy provided by New Zealand Consumer Laws.*

**See detailed installation guidelines & warranty info online.** Colours and designs in this brochure might vary from real product due to printing techniques.

05/2018©