



Come home to a floor you love!



*Comfy***Tex**[®]
by Signature

your style, your home

Signature[®]
signaturevinyl



*wear layer: 0.40mm, thickness: 2.80mm




sintra **15226584**



weathered oak **19326598**




cognac **16428594***



rustic oak **1526745**



weathered oak **19326734**



classic oak **19426753**

ComfyTEX[®]
by Signature

Modern Woods



hatari **12126791**



sorbonne **15128594***



weathered oak **19326782**



weathered oak **19328593***



classic oak **19426732**



burgos **7726734**



cordoba **1126743**



tavel **15028535***



cordoba **1126745**




sorbonne **15128592***




hatari **12126793**



weathered oak **19326508**



cognac **16428583***



spotted gum **12026745**




burgos **7726745**



burgos **7726744**



jarrah **3626717**



rustic oak **1526746**

Classic Woods


Flexible & versatile, for every room in the house



Modern Designs




lucca **15328594***



james **16328595***




sand **19926596**



sand **19926592**



sand **19926597**



toledo **13526591**



toledo **13526582**




nero **6726993**




palermo grey/beige **5626936**



almeria **2226599**




artesia **13726599**




marsala **16528593***



marsala **16526594**



smooth concrete **19526597**



sand **19926583**



murcia **12326533**



palermo **5626908**



toledo **13526532**

Natural Stones

Discover today's high performance modern vinyls

Cushioned ComfyTEX[®] can be installed on top of most surfaces as the textile backing adapts to achieve a smooth result. In most instances, ComfyTEX[®] can be loose laid without adhesive over any sized floor with irregularities of up to 2mm in depth and 3mm in width*. Installation requires much less preparation saving you time, money and delays. With exclusive SuperGuard[®] PU surface protection against stains, scratches and scuffs, ComfyTEX[®] give you peace of mind with a 15 year performance guarantee.



majorie **16728593**



kratos **16628596**



durango sandstone **0726991**



murcia **12326584**



murcia **12326594**

ComfyTEX[®]
lays over irregular floor surfaces

*wear layer: 0.40mm, thickness: 2.80mm



Specifications

Installation:	Unlimited Looselay
Surface:	SuperGuard® PU
Wear Layer:	0.25mm or 0.40mm
Backing:	Textile
Thickness:	2.60mm or 2.80mm
Slip Rating:	R10
Width:	4m
Residential Warranty:	15 Years

ComfyTex™

lays over irregular floor surfaces

** suitable for irregularities up to 2mm in depth & 3mm in width*

*Please refer to Signature Floors' Vinyl Flooring Installation Guidelines for more information.



Terms & Conditions: Specifications are subject to manufacturing tolerances and may be changed without prior notice. Dye lots may vary in colour from sample and between production lots. All product purchases are subject to Signature Floorcoverings Standard Terms & Conditions of Sale. Please refer to our Installation Guideline, Maintenance Manual and Warranty Document for further clarification. As per Competition & Consumer Act (CCA): "Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure." Please refer to our warranties on: www.signaturefloors.com.au 03/2018 ©

Signature[®]
signaturefloors

tel 03 9401 0888
fax 03 9401 0866
signaturefloors.com.au